	Application No.	Applicant(s)
Notice of Allowability	09/865,027 Examiner	PREVITE, ANTHONY Art Unit
	James O. Hansen	3637
The MAILING DATE of this communication apperature All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication GHTS. This application is subject to	blication. If not included
1. This communication is responsive to <i>February 12, 2004</i> .		•
2. The allowed claim(s) is/are 7-11, 4, 6, 14-15, 17-19 & 22-2	3 renumbered 1-14 respectively.	
3. The drawings filed on are accepted by the Examiner	r.	
 4. ☐ Acknowledgment is made of a claim for foreign priority una) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 2. ☐ Certified copies of the priority documents have 3. ☐ Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must (a) ☐ including changes required by the Notice of Draftspers 1) ☐ hereto or 2) ☐ to Paper No./Mail Date (b) ☐ including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the proper No./Mail Date 7. ☐ DEPOSIT OF and/or INFORMATION about the depose attached Examiner's comment regarding REQUIREMENT for the priority documents and priority documents have a complex of the priority documents have a	been received. been received in Application No cuments have been received in this r of this communication to file a reply of ENT of this application. itted. Note the attached EXAMINER's es reason(s) why the oath or declarate t be submitted. on's Patent Drawing Review (PTO-S Amendment / Comment or in the O 84(c)) should be written on the drawin the header according to 37 CFR 1.121(desit of BIOLOGICAL MATERIAL m	national stage application from the complying with the requirements S AMENDMENT or NOTICE OF tion is deficient. 948) attached ffice action of gs in the front (not the back) of 1). nust be submitted. Note the
 Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☑ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/06 Paper No./Mail Date	6. ☐ Interview Summary (Paper No./Mail Date 8), 7. ☑ Examiner's Amendm	e

Art Unit: 3637

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Gordon Coplein on May 14, 2004.

The application has been amended as follows:

Cancel Claim 5.

In Claim 7, Line 2, insert --formed by at least one panel-- after "each".

Line 6, change "opening formed in the parallel" to --section formed in each of said--.

Lines 6-7, delete "by a ventilation section in each skin, the".

Line 7, change "section of said ventilation opening" to --sections--.

Line 8, change "of said skins" to --respective skin--.

Line 10, change "of said ventilation opening is formed by" to--includes--.

Line 12, delete "and".

Delete Lines 13-15, and insert --a plurality of support members connected between the upper ends of said panels of said opposing side walls and said end walls; and at least one ceiling panel formed by opposing skins disposed on said support members, said--.

Line 16, delete "of said"; & change "panels" to --panel--.

In Claim 11, Line 3-4, delete "at least one" and insert -- each--.

Application/Control Number: 09/865,027

Art Unit: 3637

Line 6, change "opening formed in the parallel" to --section formed in each of said--.

Lines 6-7, delete "by a ventilation section in each skin, the".

Line 7, change "section of said ventilation opening" to --sections--.

Line 8, change "of said skins" to --respective skin--.

Line 10, change "of said ventilation opening is formed by" to--includes--.

Line 12, after "thereof," insert --wherein said ventilation sections formed in said side walls and said end walls are at substantially the same height,--.

In Claim 15, line 2, change "opening of a" to --section of said at least one--.

Cancel Claim 16.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to James O. Hansen whose telephone number is 703-305-7414. The examiner can normally be reached on Mon.-Fri. 8-4pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lanna Mai can be reached on 703-308-2486. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 09/865,027 Page 4

Art Unit: 3637

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

James O. Hansen Primary Examiner Art Unit 3637

JOH May 14, 2004